

Heatseeker 2014



real flame
Leaders in
Gas Fireplace
Technology

Heating on a grand scale

Create the warmth and atmosphere of an open fire with the convenience and cleanliness of gas. The Heatseeker delivers optimum radiant and fan assisted convected heat. Offering total design flexibility ranging from old world to traditional or contemporary finishes. The Heatseeker fire is available in four convenient sizes that are ideal for new or existing fireplace applications.



Heatseeker

600

700

850

1000

1500


- 🔥 Conceived, designed, researched, developed and built in Australia
- 🔥 Convected plus radiant heat, heats up to 45m²
- 🔥 Conventional or Power flue

- 🔥 Pebbles or Coals and Logs
- 🔥 New or existing applications
- 🔥 Old world, traditional or contemporary
- 🔥 Natural gas or LPG




SPECIFICATIONS & CONSTRUCTION

NEW CONSTRUCTION




NOTE:
Install unit and
flue prior to
plastering.

NOTE:
Plaster to run
beyond studs
and behind trim
or square edge.



Clearance to Combustibles





	A	B	C	D	E	F	G	H	I	J	K	L	M	NG Mj/h	LP Mj/h	GPO REQ'D	VENTILATION
600	750	750	450	650	675	415	150	200	25	100	25	740	670	37	31	YES	18000mm ²
700	750	850	450	650	775	415	150	200	25	100	25	840	670	37	31	YES	18000mm ²
850	750	1000	450	650	930	415	200	250	25	100	25	990	670	39	36	YES	32000mm ²
1000	750	1150	450	650	1075	415	200	250	25	100	25	1140	670	39	36	YES	32000mm ²
1500	750	1650	450	650	1575	415	225	275	25	100	25	1630	670	49	49	YES	49000mm ²

Also available in inbuilt configuration for working masonry fireplaces.

Refer to TRIMS section for 4 sided trim dimensions

EXISTING FIREPLACES



	A	B	C	D	E	F	L	M	NG Mj/h	LP Mj/h	GPO REQ'D	VENTILATION
HEATSEEKER 600	610	620	380	605	610	370	740	670	37	31	YES	40000mm ²
HEATSEEKER 700	610	720	380	605	710	370	840	670	37	31	YES	40000mm ²
HEATSEEKER 850	610	870	380	605	860	370	990	670	39	36	YES	40000mm ²
HEATSEEKER 1000	610	1020	380	605	1005	370	1140	670	39	36	YES	40000mm ²
HEATSEEKER 1500	610	1510	380	600	1505	370	1650	670	55	48	YES	40000mm ²

Warranty: Provided your Real Flame Gas Fire is installed by a licensed Gas Fitter in accordance with our Installation Instructions and operated in accordance with our Operating Manual, your Firebox is warranted for ten years and all other parts for one year from date of purchase. Refer to our website or our Installation and Operating Manual for a comprehensive warranty.

Head Office/Factory/ Showroom

1340 Ferntree Gully Road
Scoresby VIC 3179
T 03 8706 2000

Showrooms

300 Swan St, Richmond, VIC
T 03 9428 4443

2a Gordon Ave, Geelong West, VIC
T 03 5229 0844

9 Lonsdale St, Dandenong, VIC
T 03 9702 4707

546 Pacific Hwy, Chatswood, NSW
T 02 8905 0189

36 Kareena Rd, Miranda, NSW
T 02 8513 6202

173-175 Magill Rd, Norwood, SA
T 08 8132 0371

46 Douglas St, Milton, QLD
T 07 3368 2011

47-53 McDonald St East, Osborne Park, WA
T 08 9444 9900

88 Wollongong St, Fyshwick, ACT
T 02 6280 552

Available from

