




morsø®

"Integrated Design since 1853"



morsø®

"Integrated Design since 1853"



morsø® **1410**

*Compact, deceptively powerful
and full of character!*

The Morso 1410 is the ideal size and capacity to heat areas up to 8-10 squares. Its ability to heat quickly will create a cosy atmosphere in your home. Made from cast iron like all Morsos the 1410 will radiate an even warmth on even the coldest winter night. The 1410 features an ash pan and grate for easy cleaning, and top cook surface.

morsø® **2110**

Classic style with modern efficiency!

Nothing fires the imagination like an open fire, and no other slow combustion heater gives that open fire feeling like the Morso 2110. Its double doors give a great view of the living fire. But the 2110 is as practical as it is beautiful.

The wide opening allows you to use large pieces of wood and cleaning is made easy with an ash pan and grate.

Imagine boiling a kettle or cooking a pot of soup on a cold wintry night!



morsø® **1440**

*Clean, classic, compact
design.*

Sharing the main features of the 1410 with the added advantage of a larger viewing window. The convection panels allow more effective heating of adjoining rooms and reduced clearances for installation into corners or confined spaces.



morsø® **2140**

A modern classic.

With similar features to the 2110, the 2140 stands tall for a clear view of the fire. With its classic style it is at home in any décor.

Convection panels also reduce clearances for corner and close installations.



morsø® **1600**

The powerful performer!

With an output of 20 kw, the 1600 is a serious performer.

One of the most powerful radiant heaters on the Australian market, it is the perfect answer for heating those larger rooms or for open plan living.

Its clean simple lines allow it to look at home in either the most modern or rustic settings.

morsø® **3610**

The BIG one

The biggest cast iron radiant heater on the Australian market, the 3610 combines classic design, style and quality with a host of features such as:

- side door for loading BIG logs
- twin ash pans for ease of cleaning
- BIG cook top
- double doors for a wide view of the fire.



morsø®

"Integrated Design since 1853"





morsø®

"Integrated Design since 1853"

Ever since 1853, Morso have been heating homes in Scandinavia and worldwide. Morso wood heaters have long been recognised for their superior function, style, and classic design - reflecting the unique Danish integration of form, function and quality.

Morso's name has always been and always will be inextricably linked with cast iron. Solid cast iron is the traditional material used in constructing wood heaters, it has a unique ability to store heat and release to its surroundings long after the fire has gone out. Cast iron is resistant to thermal stress and retains its shape so the heater remains airtight and has a long service life.

In addition, cast iron can be used to create some beautiful forms, so that your Morso is not just a heater but a piece of fine furniture.

Morso heaters come with a 10 year warranty on defects in material and manufacture in its main body castings.

For more information about Morso products see the specifications below or contact your local agent.

	Height	Width	Depth	Weight	Flue size	Area heated
1410	700 mm	390 mm	370 mm	70 kg	112.5 mm	8-10 sq
1440	715 mm	435 mm	395 mm	85 kg	112.5 mm	8-10 sq
1600	795 mm	670 mm	460 mm	135 kg	152 mm	20 sq
2110	710 mm	605 mm	430 mm	110 kg	152 mm	12-15 sq
2140	815 mm	605 mm	430 mm	120 kg	152 mm	12-15 sq
3610	800 mm	750 mm	645 mm	230 kg	152 mm	25 sq

All models have been tested and comply to relevant Australian standards.

All models have the option of top or rear flue exit.

Clearances to combustible surfaces with shielded flue and rear heater shield fitted:

	REAR	SIDE	CORNER	HEARTH (floor protector) THICKNESS (min)
1410	150 mm	600 mm	600mm	6 mm
1440	150mm	350mm	150mm	3.5 mm
1600	225mm	650mm	650mm	24 mm
2110	150mm	650mm	650mm	12 mm
2140	175mm	350mm	150mm	3.5 mm
3610	275mm	450mm	300mm	4.5 mm

- An Australian standard flue kit to AS2918 fitted with flue shield is required to obtain the specified clearances.
- Hearth (floor protector) must extend 300 mm in front of and 200 mm each side of firebox opening.
- In the interest of product development, Morso reserves the right to change product specifications without notice.



morsø®

"Integrated Design since 1853"